## **Boom Lift License Windsor**

Boom Lift License Windsor - To operate an aerial boom lift, operators should be qualified through training which could be obtained using both practical training and classroom sessions and by obtaining a boom lift license. Instruction should be given with respect to the kind of aerial lift which would be utilized on the job. A License is needed for any individual who operates or works on an aerial boom lift.

Various types of vehicle-mounted aerial devices comprise aerial ladders, extensible boom platforms, vertical towers, articulating boom platforms, and whatever combination of these kinds.

There are some basic safety regulations that apply to all boom lifts. Worker safety whilst within the basket is a main concern. Workers should put on a body harness and lanyard attached to the boom or basket. Never tie off to a structure, equipment or an adjacent pole. Personnel must stand on the floor of the basket, and never climb or sit on the edge of the basket. The manufacturer's load restrictions should be followed.

Aerial lift operators must be authorized to utilize the machinery. The operator should know all the aspects of the device and must have access to the manufacturers manual which must be kept within the lift. Operators are responsible for making certain that safety procedures are followed in the operation of the lift. Testing lift controls everyday should be performed. Position outriggers and set brakes (if they are utilized) on pads or a stable surface. If working on a slope, utilize wheel chocks.

The aerial lift vehicle must never be moved whilst a worker is in the basket of an elevated boom, unless they are utilizing equipment which are particularly designed for this. Extensible boom platforms and articulating boom utilized as employees carriers must have plainly marked, accessible, upper controls. Except in emergency circumstances, lower controls should not be utilized to override upper controls unless the person in the lift gives authorization.

While working from an aerial lift, do not wear tree or pole climbers.

The insulated part of the aerial lift should not be altered.

Ensure that the booms are thoroughly inspected, that the equipment is correctly cradled and the outriggers are in the stowed position prior to moving.

When operating a boom lift next to power lines, make sure that the lines are di-electrically tested based on local rules.